


(Precision)Small Vacuum Pad


Small Vacuum Pad

Code	Material	Color
J-WEP01	Nitrile Rubber NBR	Black


Pad Diameter Ø0.7




Pad Diameter Ø1




Pad Diameter Ø1.5





Pad Diameter Ø2



Pad Diameter Ø3



Pad Diameter Ø4



Part Number	
Code	Pad Diameter d
J-WEP01	0.7
	1
	1.5
	2
	3
	4



Part Number	
Code	d
J-WEP01	1

J-WEP01 - d0.7





Discount price	
per	1~29
Price	100%




Small Vacuum Pad with Fitting

Code	Type	Main Body		Vacuum Pad	Color
		Material	Surface Treatment	Material	
J-WES01	Direct Mount	Brass	Electroless Nickel Plating	Nitrile Rubber	Black



Part Number		B	L	Weight (g)
Code	Pad Diameter d			
J-WES01	0.7	6.6	4	1
	1			
	1.5			
	2			
	3			
	4			



Part Number	
Code	d
J-WES01	1

J-WES01 - d0.7



Discount price	
Per	1~29
Price	100%



(Precision)Standard Vacuum Pad Screw for Vacuum Pad


Precision Type, Standard Vacuum Pad

Code	Material	Color
J-WEP06	Nitrile Rubber NBR	Black
J-WEP07	Conductive Silicon Rubber SE	Black


Inventory




Pad Diameter Ø4




Pad Diameter Ø6




Pad Diameter Ø8




Pad Diameter Ø10




Pad Diameter Ø15




Pad Diameter Ø20



Pad Diameter Ø25



Pad Diameter Ø30



The first perspective

Part Number	
Code	Pad Diameter d
J-WEP06 J-WEP07	4
	6
	8
	10
	15
	20
	25
	30



Part Number	
Code	d
J-WEP06	4
J-WEP07	6

J-WEP06—d4




Discount price	
Per	Price
1~29	100%
30~	Additional quotation



Delivery	
2	


Flat work




Screw for Vacuum Pad

Code	Type	Material	Surface Treatment
WEM91	Screw for Vacuum Pad	Brass	Electroless Nickel Plating

No.:4



No.:6



Inventory



The first perspective

Part Number		Weight(g)	Applicable Vacuum Pad
Code	No.		
WEM91	4	1.1	Pad Diameter d10, d15
	6	3	Pad Diameter d20, d25



Part Number	
Code	No.
WEM91	4
	6

WEM91—4



Discount price	
Per	Price
1~29	100%
30~	Additional quotation



Delivery	
2	

Applicable for Standard, Deep and Bellows Type Vacuum Pad.

Suction Cups

(Precision)Standard Vacuum Pad with Fitting


- Fixed Type, Vacuum Port on Top
- Spring Type, Vacuum Port on Top
- One-Touch Type

Fixed Type, Vacuum Port on Top


Code	Type	Takeover Method	Pad Material	Color
J-WES21	Fixed Type	One-Touch Type	Nitrile Rubber NBR	Black
J-WES22	Vacuum Port on Top		Conductive Silicon Rubber SE	




Pad Diameter Ø4





Pad Diameter Ø6,Ø8



Pad Diameter Ø10



Pad Diameter Ø15~30



Part Number	B	D	M	L ₁	L ₂	L ₃	C	Wrench Flats H ₁	Wrench Flats H ₂	T	Weight (g)
Code	Pad Diameter d										
J-WES21 J-WES22	4	28.3	4	M6×0.75	4	6	10	10.9	8	2	6
	6	32.6		M10×1	7	9.5					
	8	31.1			5.5	8	12		12	3	12.5
	10	34.1		M12×1	8	12					
	15	35.1	6		9	13	18.5	11.7	14	12	21
	20	37.7			10	15.6					21.5
	25									4	36.5
	30	38.7		M14×1	11	16.6	18		17		37
											39



Part Number	B
Code	d
J-WES21	15
J-WES22	20
J-WES21—d15	35.1
J-WES22—d20	37.7



Discount price
Per 1~29 30~
Price 100% Additional quotation




Delivery
2

Spring Type, Vacuum Port on Top


Code	Type	Takeover Method	Pad Material	Color
J-WES26	Spring Type	One-Touch Type	Nitrile Rubber NBR	Black
J-WES27	Vacuum Port on Top		Conductive Silicon Rubber SE	




Pad Diameter Ø4





Pad Diameter Ø6,Ø8



Pad Diameter Ø10



Pad Diameter Ø15~30



Part Number	B	D	M	L ₁	L ₂	L ₃	P	C	Stroke S	Wrench Flats H ₁	Wrench Flats H ₂	T	Spring Max.Load(N)	Weight (g)
Code	Pad Diameter d													
J-WES26 J-WES27	4	43.2	4	M12×1	4	17.5								17
	6	47.1			7	19.5	13	13	3	14	8		0.9~1.9	18.5
	8	45.6			5.5	18								
	10	60.1		M14×1	8	26								35.5
	15	61.1	6		9	27		11.7				4	4.0~7.1	36
	20	62.1			10	28	20	16	6	17	12			39.5
	25	63.1											7.0~12.6	40
	30	63.1			11	29								42.5



Part Number	B
Code	d
J-WES26	15
J-WES27	20
J-WES26—d15	61.1
J-WES27—d20	62.1



Discount price
Per 1~29 30~
Price 100% Additional quotation



Delivery
2

Spring Type, Vacuum Port on Side ▶
Spring Type, Direct-Mount ▶
One-Touch Type/ Screw Type

(Precision Type)Standard Vacuum Pad with Fitting


Spring Type, Vacuum Port on Side

Code	Type	Takeover Method	Pad Material	Color
J-WES31	Spring Type,	One-Touch Type	Nitrile Rubber NBR	Black
J-WES32	Vacuum Port on Side		Conductive Silicon Rubber SE	


Inventory




Pad Diameter $\varnothing 4$




Pad Diameter $\varnothing 6, 8$



Pad Diameter $\varnothing 10$



Pad Diameter $\varnothing 15 \sim 30$



The first perspective

Part Number		B	D	M	L ₁	L ₂	L ₃	P	Stroke S	E ₁	E ₂	Wrench Flats		T	Spring Max.Load(N)	Weight (g)		
Code	Pad Diameter d											H ₁	H ₂					
J-WES31 J-WES32	4	40	4	M8×0.75	4	24	13	13	3	16.7	12.5	10	8	2	0.9~1.9	13.5		
	6	41			7	25												
	8	39.5			5.5	23.5												
	10	58.1	6	M14×1	8	35	20	16	6	20.1	18.5	17	12	4	4.0~7.1	47.5		
	15	59.1				9										36		
	20	60.1				10										37		
	25	61.1				11									38			
	30	61.1													54			



Please order as shown

Part Number	B
Code d	
J-WES31 15	59.1
J-WES32 20	60.1

J-WES31 - d15



Discount price
Per 1~29 30~
Price 100% Additional quotation



Delivery
2


Spring Type, Direct-Mount

Code	Type	Takeover Method	Pad Material	Color
J-WES36	Spring Type,	Screw Type	Nitrile Rubber NBR	Black
J-WES37	Direct-Mount		Conductive Silicon Rubber SE	


Inventory




Pad Diameter $\varnothing 4$





Pad Diameter $\varnothing 6, 8$



Pad Diameter $\varnothing 10$



Pad Diameter $\varnothing 15 \sim 30$



The first perspective

Part Number		B	M	A	L ₁	L ₂	P	Stroke S	Wrench Flats H ₁	Wrench Flats H ₂	Spring Max.Load(N)	Weight (g)
Code	Pad Diameter d											
J-WES36 J-WES37	4	32	M10×1	9.5	4	22.5	14	3	12	—	2.3~3.9	14.5
	6	7										
	8	5.5			21							
	10	51	M14×1	11.7	8	39.3	19	5.8	17	12	7.9~15.0	55.5
	15	52			9	40.3						56
	20	54			10	42.3						58.5
	25	55			11	43.3						59
	30	55	61									



Please order as shown

Part Number	B
Code d	
J-WES36 15	52
J-WES37 20	54

J-WES36 - d15



Discount price
Per 1~29 30~
Price 100% Additional quotation



Delivery
2


Suction Cups

(Precision)Deep Type Vacuum Pad (Precision)Bellow Vacuum Pad/Bellows Type Vacuum Pad with Fitting


☑ (Precision)Deep Type Vacuum Pad

Code	Material	Color
J-WEP16	Nitrile Rubber NBR	Black


Pad Diameter $\varnothing 20$





Pad Diameter $\varnothing 25$



Pad Diameter $\varnothing 30$



Pad Diameter $\varnothing 40$



The first perspective

Part Number	
Code	Pad Diameter d
J-WEP16	20
	25
	30
	40



Part Number	
Code	d
J-WEP16	$\varnothing 20$
	25

J-WEP16 - d20




Discount price	
Per	1~29
Price	100%

Delivery	
Per	1~29
Price	100%


☑ (Precision)Bellows Vacuum Pad

Code	Material	Color
J-WEP26	Nitrile Rubber NBR	Black
J-WEP27	Conductive Silicon Rubber SE	Black


Pad Diameter $\varnothing 10$





Pad Diameter $\varnothing 20$



Pad Diameter $\varnothing 30$



Pad Diameter $\varnothing 40$



The first perspective

Part Number	
Code	Pad Diameter d
J-WEP26 J-WEP27	10
	20
	30
	40



Part Number	
Code	d
J-WEP26	$\varnothing 30$
J-WEP27	40

J-WEP26 - d30




Discount price	
Per	1~29
Price	100%

Delivery	
Per	1~29
Price	100%



Example

Package of Boil-in-Bag Food




- ☑ Characteristic
It can absorb soft products such as paper and food packaging bags, and can also absorb the inclined products.


☑ (Precision)Bellows Type Vacuum Pad with Fitting

Code	Type	Takeover Method	Pad Material	Color
J-WET31	Fixed Type,	One-Touch Type	Nitrile Rubber NBR	Black
J-WET32	Vacuum Port on Top		Conductive Silicon Rubber SE	


Pad Diameter $\varnothing 10$



Pad Diameter $\varnothing 20 \sim 40$



Inventory



The first perspective

Part Number		B	M	L1	L2	L3	Wrench Flats H1	Wrench Flats H2	T	Weight (g)
Code	Pad Diameter d									
J-WET31 J-WET32	10	42.1	M12×1	16	20	18.5	14	12		21.5
	20	46.7		19	24.6					36.5
	30	50.7	M14×1	23	28.6	18	17	14	4	40
	40	57.7		30	35.6					48.5



Part Number	
Code	d
J-WET31	$\varnothing 30$
J-WET32	40

J-WET31 - d30



Discount price	
Per	1~29
Price	100%




Delivery	
Per	1~29
Price	100%

(Precision) Bellows Type Vacuum Pad with Fitting


Spring Type, Vacuum Port on Top

Code	Type	Takeover Method	Pad Material	Color
J-WET36	Spring Type, Vacuum Port on Top	One-Touch Type	Nitrile Rubber NBR	Black
J-WET37			Conductive Silicon Rubber SE	


Pad Diameter Ø10



Pad Diameter Ø20~40



Inventory




The first perspective

Part Number		B	M	L ₁	L ₂	L ₃	P	Stroke S	Wrench Flats H ₁	Wrench Flats H ₂	T	Spring Max. Load(N)	Weight (g)
Code	Pad Diameter d												
J-WET36 J-WET37	10	68.1	M14×1	16	34	20	16	6	17	12	4	4.0~7.1	36
	20	71.1		19	37								39.5
	30	75.1		23	41							7.0~12.6	43.5
	40	82.1		30	48								52


Spring Type, Vacuum Port on Side

Code	Type	Takeover Method	Pad Material	Color
J-WET41	Spring Type, Vacuum Port on Side	One-Touch Type	Nitrile Rubber NBR	Black
J-WET42			Conductive Silicon Rubber SE	


Pad Diameter Ø10



Pad Diameter Ø20~40



Inventory




The first perspective

Part Number		B	M	L ₁	L ₂	L ₃	Stroke S	E	Wrench Flats H ₁	Wrench Flats H ₂	T	Spring Max. Load(N)	Weight (g)
Code	Pad Diameter d												
J-WET41 J-WET42	10	66.1	M14×1	16	43	20	6	18.5	17	12	4	4.0~7.1	48
	20	69.1		19	46								51.5
	30	73.1		23	50							7.0~12.6	55
	40	80.1		30	57								63.5


Spring Type, Direct-Mount

Code	Type	Takeover Method	Pad Material	Color
J-WET46	Spring Type, Direct-Mount	Screw Type	Nitrile Rubber NBR	Black
J-WET47			Conductive Silicon Rubber SE	


Pad Diameter Ø10



Pad Diameter Ø20~40



Inventory



The first perspective

Part Number		B	L ₁	L ₂	Spring Max. Load(N)	Weight (g)
Code	Pad Diameter d					
J-WET46 J-WET47	10	59	16	47.3	7.9~15.0	56
	20	63	19	51.3		58.5
	30	67	23	55.3		62
	40	74	30	62.3		70.5



Please order as shown

Part Number		B
Code	d	
J-WET36	Ø10	67
J-WET47	Ø40	74
J-WET46~d30		



Discount price	
Per	Additional quotation
1~29	30~
Price 100%	



Delivery
2


(Precision)Oval Vacuum Pad

Code	Material	Color
J-WEP41	Nitrile Rubber NBR	Black
J-WEP42	Silicon Rubber S	White


Inventory




Pad Diameter 4-10




Pad Diameter 4-20




Pad Diameter 5-10





Pad Diameter 5-20



Pad Diameter 6-10



Pad Diameter 6-20



The first perspective

Part Number	
Code	Pad Diameter d
J-WEP41 J-WEP42	4-10
	4-20
	5-10
	5-20
	6-10
	6-20



Please order as shown



Discount price

Per	1~29	30~
Price	100%	Additional quotation




Delivery

2

Part Number	
Code	d
J-WEP41	4-10
J-WEP42	4-20
J-WEP41—d4-10	



Example




Circuit Board

- Characteristic
It is most suitable for workpieces with multiple small suction cups, such as adsorption round bars.

Fixed Type, Vacuum Port on Top

Code	Type	Takeover Method	Pad Material	Color
J-WEU31	Fixed Type,	One-Touch	Nitrile Rubber NBR	Black
J-WEU32	Vacuum Port on Top	Type	Silicon Rubber S	White




The first perspective

Inventory

Spring Type, Vacuum Port on Top

Code	Type	Takeover Method	Pad Material	Color
J-WEU36	Spring Type,	One-Touch	Nitrile Rubber NBR	Black
J-WEU37	Vacuum Port on Top	Type	Silicon Rubber S	White




The first perspective

Inventory

Spring Type, Vacuum Port on Side

Code	Type	Takeover Method	Pad Material	Color
J-WEU41	Spring Type,	One-Touch	Nitrile Rubber NBR	Black
J-WEU42	Vacuum Port on Side	Type	Silicon Rubber S	White




The first perspective

Inventory

Spring Type, Direct-Mount

Code	Type	Takeover Method	Pad Material	Color
J-WEU46	Spring Type,	Screw Type	Nitrile Rubber NBR	Black
J-WEU47	Direct-Mount		Silicon Rubber S	White



The first perspective

Inventory

Fixed Type, Vacuum Port on Top

Part Number	Weight (g)
Code	Pad Diameter d
J-WEU31 J-WEU32	4-10
	4-20
	5-10
	5-20
	6-10
	6-20



Part Number	Code	d
J-WEU31	4-10	
J-WEU32	5-10	
J-WEU31-d4-10		



Discount price	Per	1~29	30~
Price	100%		Additional quotation



Delivery	2
----------	---

Spring Type, Vacuum Port on Top

Part Number	Spring Max. Load (N)	Weight (g)
Code	Pad Diameter d	
J-WEU36 J-WEU37	4-10	35
	4-20	35.5
	5-10	35
	5-20	35.5
	6-10	35
	6-20	35.5



Part Number	Code	d
J-WEU36	4-10	
J-WEU37	5-10	
J-WEU36-d4-10		



Discount price	Per	1~29	30~
Price	100%		Additional quotation



Delivery	2
----------	---

Spring Type, Vacuum Port on Side

Part Number	Spring Max. Load (N)	Weight (g)
Code	Pad Diameter d	
J-WEU41 J-WEU42	4-10	46.5
	4-20	47
	5-10	46.5
	5-20	47
	6-10	46.5
	6-20	47



Part Number	Code	d
J-WEU41	4-10	
J-WEU42	5-10	
J-WEU41-d4-10		



Discount price	Per	1~29	30~
Price	100%		Additional quotation



Delivery	2
----------	---

Spring Type, Direct-Mount

Part Number	Spring Max. Load (N)	Weight (g)
Code	Pad Diameter d	
J-WEU46 J-WEU47	4-10	54
	4-20	54.5
	5-10	54
	5-20	54.5
	6-10	54
	6-20	54.5



Part Number	Code	d
J-WEU46	4-10	
J-WEU47	5-10	
J-WEU46-d4-10		



Discount price	Per	1~29	30~
Price	100%		Additional quotation



Delivery	2
----------	---

(Precision)Vacuum Pad (Precision)Vacuum Pad with Fitting


◀ for Thin Objects

Vacuum Pad


Code	Material	Color
J-WEP46	Nitrile Rubber NBR	Black
J-WEP47	Phlorosilicon S	Light Brown




Pad Diameter Ø8




Pad Diameter Ø10



Pad Diameter Ø15



Pad Diameter Ø20



Part Number	
Code	Pad Diameter d
J-WEP46	8
J-WEP47	10
	15
	20



Part Number	
Code	d
J-WEP46	Ø8
J-WEP47	15

J-WEP46 - d10




Discount price	
Per	1~29
Price	100%




Delivery	
Per	1~29
Price	100%

Vacuum Pad with Fitting


Code	Type	Takeover Method	Pad Material	Color
J-WEU61	Fixed Type, Vacuum Port on Top	One-Touch Type	Nitrile Rubber NBR	Black
J-WEU62			Phlorosilicon FS	Light Brown
J-WEU66	Spring Type, Vacuum Port on Top		Nitrile Rubber NBR	Black
J-WEU67			Phlorosilicon FS	Light Brown
J-WEU71	Spring Type, Vacuum Port on Side	Screw Type	Nitrile Rubber NBR	Black
J-WEU72			Phlorosilicon FS	Light Brown
J-WEU76	Spring Type, Direct-Mount		Nitrile Rubber NBR	Black
J-WEU77			Phlorosilicon FS	Light Brown




Fixed Type, Vacuum Port on Top
J-WEU61/62





Spring Type, Vacuum Port on Top
J-WEU66/67



Spring Type, Vacuum Port on Side
J-WEU71/72



Spring Type, Direct-Mount
J-WEU76/77



Fixed Type, Vacuum Port on Top

Part Number		B	L ₁	L ₂	Weight (g)
Code	Pad Dia. d				
J-WEU61	8	30.3	5.5	8	10.2
J-WEU62	10	30.6	5.8	8.3	10.2
J-WEU66	15	31.3	6.5	9	10.3
J-WEU67	20	32.1	7.3	9.8	10.4

Spring Type, Vacuum Port on Top

Part Number		B	L ₁	L ₂	Spring Max. Load (N)	Weight (g)
Code	Pad Dia. d					
J-WEU66	8	42.2	5.5	16.5	1.0~1.9	8.9
J-WEU67	10	42.5	5.8	16.8		8.9
J-WEU66	15	43.2	6.5	17.5		9
J-WEU67	20	44	7.3	18.3		9.1

Spring Type, Vacuum Port on Side

Part Number		B	L ₁	L ₂	Spring Max. Load (N)	Weight (g)
Code	Pad Dia. d					
J-WEU71	8	39.5	5.5	23.5	1.0~1.9	14.2
J-WEU72	10	39.8	5.8	23.8		14.2
J-WEU76	15	40.5	6.5	24.5		14.3
J-WEU77	20	41.3	7.3	25.3		14.4

Spring Type, Direct-Mount

Part Number		B	L ₁	L ₂	Spring Max. Load (N)	Weight (g)
Code	Pad Dia. d					
J-WEU76	8	30.5	5.5	21	2.3~3.9	14.2
J-WEU77	10	30.8	5.8	21.3		14.2
J-WEU76	15	31.5	6.5	22		14.3
J-WEU77	20	32.3	7.3	22.8		14.4



Part Number	
Code	d
J-WEU66	Ø10
J-WEU67	15



J-WEU66 - d10



Discount price	
Per	1~29
Price	100%



Delivery	
Per	1~29
Price	100%



Characteristic
Thin object type is suitable for conveying a thin paper-like object such as vinyl.

Flat Vacuum Pad

Code	Type	Material	Color
J-WEB11	Adsorption Surface with Groove	Nitrile Rubber	Black
J-WEB12		Silicon Rubber	Milky White
J-WEB13		Conductive Silicon Rubber	Black/Red Dot




Pad Diameter Ø10

Pad Diameter Ø15

Pad Diameter Ø20

Pad Diameter Ø25

Pad Diameter Ø30



The first perspective

Part Number	
Code	Pad Diameter d
J-WEB11	10
J-WEB12	15
J-WEB13	20
	25
	30



Please order as shown

Part Number	
Code	d
J-WEB11	10
J-WEB12	15
J-WEB13	20
	25
	30

J-WEB11 - d10



Discount price	
Per	1~29 30~
Price	100% Additional quotation





Delivery	
Per	1~29 30~
Price	100% Additional quotation

6

Flat Vacuum Pad with Fitting(Adsorption Surface with Groove)

Code	Type	Takeover Method	Pad Material	Pad Color	Pad Type
J-WEY31	Fixed Type, Direct-Mount	Screw Type	Nitrile Rubber	Black	J-WEY11
J-WEY32			Silicon Rubber	Milky White	J-WEY12
J-WEY33			Conductive Silicon Rubber	Black/Red Dot	J-WEY13



The first perspective

Part Number		D	B	C	E
Code	Pad Diameter d				
J-WEY31	10	11		Ø8	Ø6
J-WEY32	15	16			
J-WEY33	20	21	10.5	Ø14	Ø10
	25	26			
	30	31			



Please order as shown

Part Number		D
Code	d	
J-WEY31	10	11
J-WEY32	15	16
J-WEY33	20	21
	25	26
	30	31

J-WEY31 - d10



Discount price	
Per	1~29 30~
Price	100% Additional quotation



Delivery	
Per	1~29 30~
Price	100% Additional quotation

8